

Illumination Products, Inc.



Illumination Products, Inc.

Illumination Products, Inc.

C A T A L O G

Telephone: 787-754-7193

Email: info@illuminationproductsinc.com


Web: www.illuminationproductsinc.com

HIGH BAY UFO



Description

This Compact round shape LED high bay light, delivers a superior LED alternative that's up to 60% more energy efficient than the conventional HPS, Metal halide bay light retrofits. It is also ideal for all industrial lighting applications as well as public indoor spaces, such as warehouses, bus stations, Mine, Factories, etc.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP	DIMENSIONS	IP RANK	QTY/BOX
IP-HB-UFO-100W	100W	11000lm	5700K	ø250XH90mm ø9.84" X H3.54"	IP65	1EA.

LED STREET LIGHTS



Description

This Lightweight and powerful LED Street Light is a compact yet powerful answer to roadway lighting. With our slim and lightweight design this Street Light will work with many different applications.



Ordering Information


ITEM #	WATTAGE	LUMENS	COLOR TEMP	DIMENSIONS	IP RANK	QTY/BOX
IP-SL-30W	30W	3300lm	6500k	350*110*55mm 13.78" X 4.33" X 2.17"	IP66	10 EA.
IP-SL-50W	50W	5100lm	6500k	395*165*60mm 15.55" X 6.50" X 2.36"	IP66	10 EA.
IP-SL-100W	100W	11000lm	6500k	465*185*71mm 18.31" X 7.28" X 2.80"	IP66	10 EA.

SMALL LED PANELS RECESSED



Description


These stylish Recessed Small Round and Square Panels come with a female and male interface for easy installation and maintenance. With its High Brightness, Ultra Flat design and Uniform Light Performance this panels will look great in any recessed location.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-PL-SQ-9W	9W	900lm	6500K	145*145mm (5.7"*X5.7")	IP20	40 EA.
IP-PL-SQ-12W	12W	1200lm	6500K	170*170mm (6.69"*X6.69")	IP20	40 EA.
IP-PL-SQ-15W	15W	1500lm	6500K	195*195mm (7.68"*X7.68")	IP20	30 EA.
IP-PL-SQ-18W	18W	1800lm	6500K	225*225mm (8.59"*X8.59")	IP20	30 EA.
IP-PL-RO-9W	9W	900lm	6500K	Ø145mm (5.70")	IP20	40 EA.
IP-PL-RO-12W	12W	1200lm	6500K	Ø170mm (6.69")	IP20	40 EA.
IP-PL-RO-15W	15W	1500lm	6500K	Ø195mm (7.68")	IP20	30 EA.
IP-PL-RO-18W	18W	1800lm	6500K	Ø225mm (8.59")	IP20	30 EA.

ACOUSTIC LED FLAT PANELS



Description

2x4 and 2x2 LED Flat panels for an Acoustic setting. Lightweight and slim design. Powerful Wattage.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
RES-604	45W	4500lm	5000K	603*603mm 23.74" X 23.74"	IP20	6 EA.
RES-609	85W	10200lm	5000K	603*1213mm 23.74" X 47.76"	IP20	6 EA.

SOLAR STREET LIGHT



Description

Integrated solar panel automatically charging the battery during the day time. Remote controller that can set up the brightness and the working time of the radar sensor. Corrosion resistant high impact housing. IP65 Reliable waterproof. Complete installation kit including the pole and screws for easy installation.

Dimensions



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-SOLAR-SL-30W	30W	3900lm	6500K	190*320mm 7.48" X 12.60"	IP65	10 EA.
IP-SOLAR-SL-60W	60W	7800lm	6500K	210*410mm 8.27" X 16.14"	IP65	10 EA.
IP-SOLAR-SL-90W	90W	11700lm	6500K	230*530mm 9.06" X 20.87"	IP65	10 EA.



Telephone: 787-754-7193
Email: info@illuminationproductsinc.com
Web: www.illuminationproductsinc.com

LED EMERGENCY LIGHT



Description

Long lasting, efficient ultra-white LED Emergency Light. High performance chrome plated metallized reflector and plastic lens for optimal light distribution. Adjustable LED lamp heads.



Ordering Information


ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-EL	1.2W	160lm	6500K	4.13" x 6.89"	IP20	12 EA.

ULTRA THIN RED LETTERS EXIT SIGN



Description

a.Ultra Thin Red Letters Exit Sign for exit applications. UL94V-0 Flame Rating. Easy installation. Ultra-Bright Red letters. 90 minute emergency operation.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-ES	1W	N/A	N/A	193*304*26mm 7.60" X 11.97" X 1.02"	IP20	6 EA.

LED FLOOD LIGHT



Description

LED Flood Light for your outdoor applications. Waterproof and great illumination. Classic simple design. Durable material. Black color.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-FL-10W	10W	1100lm	6500K	100*80*20mm (3.94" X 3.15" X 0.79")	IP65	100 EA.
IP-FL-20W	20W	2200lm	6500K	120*93*22mm (4.72" X 3.66" X 0.87")	IP65	60 EA.
IP-FL-30W	30W	3300lm	6500K	160*120*29mm (6.30" X 4.72" X 1.14")	IP65	40 EA.
IP-FL-50W	50W	5500lm	6500K	210*160*30mm (8.30" X 6.30" X 1.18")	IP65	20 EA.
IP-FL-100W	100W	11000lm	6500K	271*220*36mm (10.67" X 8.66" X 1.42")	IP65	20 EA.
IP-FL-200W	200W	22000lm	6500K	380*280*40mm (14.96" X 11.02" X 1.57")	IP65	5 EA.

LED SPOTLIGHT



Description

Elegant Spotlight for recessed applications.




Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-SPOT-5W	5W	400lm	5000K	Φ90*H45mm Φ3.54" X H1.77"	IP20	100 EA.
IP-SPOT-7W	7W	560lm	5000K	Φ90*H45mm Φ3.54" X H1.77"	IP20	100 EA.
IP-SPOT-12W	12W	1080lm	5000K	Φ110*H53mm Φ4.33" X H2.09"	IP20	50 EA.
IP-SPOT-18W	18W	1620lm	5000K	Φ140* H70mm Φ5.51" X H2.76"	IP20	40 EA.




Telephone: 787-754-7193
Email: info@illuminationproductsinc.com
Web: www.illuminationproductsinc.com

VAPOR TIGHT LIGHT



Description

Vapor Tight Led Lamp for indoor or outdoor applications



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-VT-RO-18W	18W	1800lm	5000K	Φ9.00" X H2.50"	IP52	30 EA.
IP-VT-OV-18W	18W	1800lm	5000K	10.63" X 5.67" X 2.95"	IP52	30 EA.



Telephone: 787-754-7193
Email: info@illuminationproductsinc.com
Web: www.illuminationproductsinc.com

LED WALL PACK



Description


LED Wall Pack. IP66, sealed by silicone ring, which ensures completely waterproof and dust-proof. Die-cast aluminum using with UV resistant powder coat finish. With PC lens.



Ordering Information

ITEM #	WATTAGE	LUMENS	COLOR TEMP.	DIMENSIONS	IP RANK	QTY/BOX
IP-WP-60W	60W	7800LM	5000K	362*235*193mm 14.25" X 9.25" X 7.60"	IP65	1 EA.
IP-WP-80W	80W	10400LM	5000K	362*235*193mm 14.25" X 9.25" X 7.60"	IP65	1 EA.
IP-WP-100W	100W	13,000LM	5000K	362*235*193mm 14.25" X 9.25" X 7.60"	IP65	1 EA.
IP-WP-120W	120W	15,600LM	5000K	362*235*193mm 14.25" X 9.25" X 7.60"	IP65	1 EA.

STRIP LIGHT FOR LED OR FLUORESCENT TUBES



Description

This very popular two (2) lamp strip channel is ideally used for applications such as showcases, store windows, valance or cove lighting, workshops, etc. They may be surface-mounted or suspended by chains or rod hangers.




Ordering Information

ITEM #	DESCRIPTION	DETAILS
IPS-009	IPS-132-MV (CON BALAST)	4 ft Strip Light for 1 tube with ballast
IPS-228	IPS-LED- 4 FT -1 TUBO (TUBO INCLUIDO)	4 ft Strip Light with 1 LED tube
IPS-235	IPS-LED- 4 FT -1 TUBO (SIN TUBO)	4 ft Strip Light for 1 LED tube
IPS-044	IPS-232-MV (CON BALAST)	4 ft Strip Light for 2 tubes with ballast
IPS-232	IPS-LED- 4 FT -2 TUBOS (TUBOS INCLUIDOS)	4 ft Strip Light with 2 LED tubes
IPS-240	IPS-LED- 4 FT -2 TUBOS (SIN TUBOS)	4 ft Strip Light for 2 LED tubes
IPS-074	IPS-259-T8-MV (CON BALAST)	8 ft Strip Light for 2 tubes with ballast
IPS-242	IPS-LED- 8 FT -2 TUBOS (TUBOS INCLUIDOS)	8 ft Strip Light with 2 LED tubes
IPS-244	IPS-LED- 8 FT -2 TUBOS (SIN TUBOS)	8 ft Strip Light for 2 LED tubes
IPS-252	IPS-LED- 8 FT -4 TUBOS DE 4 FT (TUBOS INCLUIDOS)	8 ft Strip Light with 4 LED tubes
IPS-260	IPS-LED- 8 FT -4 TUBOS DE 4 FT (SIN TUBOS)	8 ft Strip Light for 4 LED tubes



Telephone: 787-754-7193
Email: info@illuminationproductsinc.com
Web: www.illuminationproductsinc.com

WRAP AROUND FIXTURE FOR LED OR FLUORESCENT TUBES



Description

Wrap-Around series fixtures combine the practical aspect of maximum light output with the decorative features of low surface brightness. It is ideal for schools, offices or in any area where unobstructed lighting is needed.



Ordering Information

ITEM #	DESCRIPTION	DETAILS
IPW-012	IPW-217-MV (CON BALAST)	
IPW-085	IPW-LED-2 FT-9 IN (TUBOS INCLUIDOS)	
IPW-002	IPW-LED-2 FT-9 IN (SIN TUBOS)	
IPW-040	IPW-432-MV (CON BALAST)	4 ft Wrap Around for 4 tubes with ballast
IPW-252	IPW-LED-16 IN x 48 IN (TUBOS INCLUIDOS)	4 ft Wrap Around with 4 LED tubes
IPW-260	IPW-LED-16 IN x 48 IN (SIN TUBOS)	4 ft Wrap Around for 4 LED tubes
IPW-268	IPW-LED-6 IN x 48 IN (SIN TUBOS)	4 ft Wrap Around for 2 LED tubes
IPW-269	IPW-LED-6 IN x 48 IN (TUBOS INCLUIDOS)	4 ft Wrap Around with 2 LED tubes


GASKETED ENCLOSURE



Description

Gasketed Enclosure lamp fixtures are particularly designed for food processing facilities, kitchens, parking garages, car washes, schools, government facilities, industrial facilities, public areas, gas stations, subways, road toll plazas and refrigeration units. Also, made to order for sub-zero applications.


TOP VIEW



SIDE VIEW




END VIEW



Ordering Information


ITEM #	DESCRIPTION	DETAILS
IPG-032	IPGE-232-MV (CON BALAST)	4 ft Gasketed Enclosure Damp Tight for 2 tubes with ballast
IPG-120	IPGE-LED-2 TUBOS- 4 FT (TUBOS INCLUIDOS)	4 ft Gasketed Enclosure Damp Tight with 2 LED tubes
74,85	IPGE-LED-2 TUBOS- 4 FT (SIN TUBOS)	4 ft Gasketed Enclosure Damp Tight for 2 LED tubes
IPG-043	IPGE-259-T8-MV (CON BALAST)	8 ft Gasketed Enclosure Damp Tight for 2 tubes with ballast
IPG-130	IPGE-LED-2 TUBOS-8 FT (TUBOS INCLUIDOS)	8 ft Gasketed Enclosure Damp Tight with 2 LED tubes
IPG-135	IPGE-LED-2 TUBOS-8 FT (SIN TUBOS)	8 ft Gasketed Enclosure Damp Tight for 2 LED tubes
IPG-140	IPGE-432-8FT-T8-MV (PARA 4 TUBOS)	
IPG-145	IPGE-LED-432-8FT (PARA 4 TUBOS) (SIN TUBOS)	
IPG-155	IPGE-ECO-LED-4FT 2 TUBOS (SIN TUBOS)	4 ft Economic Gasketed Enclosure Damp Tight with 2 LED tubes
IPG-160	IPGE-ECO-LED-4FT 2 TUBOS (TUBOS INCLUIDOS)	4 ft Economic Gasketed Enclosure Damp Tight for 2 LED tubes

IPD LAY IN ACOUSTIC



Description



The IPD series Lay in Troffers are especially designed for maximum flexibility permitting quick and easy installation on all types of inverted "T" grid ceiling systems. Affords a comfortable environment for recessed general lighting applications such as offices, schools, hospitals merchandising areas, etc.



Ordering Information

ITEM #	DESCRIPTION	DETAILS
IPD-106	IPD-232-U-MV (2 FT x 2 FT) (CON BALAST)	Acoustic 2x2 for 2 U tubes with ballast
IPD-108	IPD-LED-U (2 FT x 2 FT) (SIN TUBOS)	Acoustic 2x2 for 2 LED U tubes
IPD-502	IPD-LED-2 TUBOS-2 FT x 2 FT (TUBOS INCLUIDOS)	Acoustic 2x2 with 2 LED tubes
IPD-504	IPD-LED-2 TUBOS-2 FT x 2 FT (SIN TUBOS)	Acoustic 2x2 for 2 LED tubes
IPD-630	IPD-LED-3 TUBOS-2 FT x 2 FT (TUBOS INCLUIDOS)	Acoustic 2x2 with 3 LED tubes
IPD-635	IPD-LED-3 TUBOS-2 FT x 2 FT (SIN TUBOS)	Acoustic 2x2 for 3 LED tubes
IPD-624	IPD-LED-4 TUBOS-2 FT x 2 FT (TUBOS INCLUIDOS)	Acoustic 2x2 with 4 LED tubes
IPD-639	IPD-LED-4 TUBOS-2 FT x 2 FT (SIN TUBOS)	Acoustic 2x2 for 4 LED tubes
IPD-371	IPD-LED-4 TUBOS-2 FT x 2 FT (SIN TUBOS)	Acoustic 2x4 for 3 tubes with ballast
IPD-631	IPD-LED-3 TUBOS-2 FT x 4 FT (TUBOS INCLUIDOS)	Acoustic 2x4 with 3 LED tubes
IPD-666	IPD-LED-3 TUBOS-2 FT x 4 FT (SIN TUBOS)	Acoustic 2x4 for 3 LED tubes
IPD-508	IPD-432-MV (2 FT X 4 FT) (CON BALAST)	Acoustic 2x4 for 4 tubes with ballast
IPD-652	IPD-LED-4 TUBOS-2 FT x 4 FT (TUBOS INCLUIDOS)	Acoustic 2x4 with 4 LED tubes
IPD-626	IPD-LED-4 TUBOS-2 FT x 4 FT (SIN TUBOS)	Acoustic 2x4 for 4 LED tubes

ACRYLICS



Description

Custom made Acrylics that fit our fixtures

Ordering Information

ITEM #	DESCRIPTION	DETAILS
RM-026	ACRILICO IPD 2 FT x 2 FT	.100" Thick x 22-1/2" Wide x 22-1/2" Long
RM-024	ACRILICO IPD 2 FT x 4 FT	.095" Thick x 22.50" Wide x 46.625" Long
RM-030	ACRILICO IPG 2 FT x 4 FT	.095" Thick x 23.75" Wide x 47.75" Long
RM-042	ACRILICO IPGE-296	8 ft clear acrylic lens for our Gasketed Enclosures
RM-043	ACRILICO IPGE-240	4 ft clear acrylic lens for our Gasketed Enclosures
RM-051	ACRILICO IPW-240	Custom made Acrylic for our 2 tube Wraparounds
RM-055	ACRILICO IPW-440	Custom made Acrylic for our 4 tube Wraparounds
RM-070	WHITE LOUVER 2x4 EGG CRATE	.100" Thick x 22-1/2" Wide x 22-1/2" Long

LED TUBES



Description

Hybrid and direct current LED Tubes 5000K

Ordering Information

ITEM #	DESCRIPTION	DETAILS
TUB-087	LED TUBE 2 FT CLEAR 5000K	2 ft T8 Hybrid Tube Clear Plug-Play ETL TypeA & ETL TypeB (single end) 9W; 1,000LM; 5000K
TUB-089	LED TUBE 2 FT WHITE 5000K	2 ft T8 Hybrid Tube White Plug-Play ETL TypeA & ETL TypeB (single end) 9W; 1,000LM; 5000K
TUB-092	LED TUBE 4 FT CLEAR 5000K	4 ft T8 Hybrid Tube Clear Plug-Play ETL TypeA & ETL TypeB (single end) 18W; 2,200LM; 5000K
TUB-116	LED TUBE 4 FT WHITE 5000K	4 ft T8 Hybrid Tube White Plug-Play ETL TypeA & ETL TypeB (single end) 18W; 2,200LM; 5000K
TUB-124	LED TUBE 4 FT CLEAR 5000K NO HIBRIDO	4ft T8 Double-end Input Tube Bypass Opal 18W; 1,800LM; 5000K
TUB-108	LED TUBE 8 FT WHITE 5000K	8ft T8 Hybrid Tube White FA8 Base Plug-Play 36W; 4,200LM; 5000K